

Trealt Flavour Chemicals proposed for `FRUITY` formulation

建議用於“果香”配方的“特利”食用香原料

Apple 蘋果

ET0633	Ethyl 2-methylbutyrate	2-甲基丁酸乙酯
ET0873	Trans-2-Hexenal	反-2-己烯醛
ET1307	Trans-2-Hexenol	反-2-己烯醇
ET1390	Trans-2-Hexenyl acetate	乙酸反-2-己烯醇酯
ET2106	Cis-3-Hexenyl 2-methyl butyrate	2-甲基丁酸葉醇酯
ET0789	Hexyl acetate	乙酸己酯
ET1178	Hexyl isovalerate,(Hexyl-3-methylbutyrate)	異戊酸己酯
ET0201	Isoamyl butyrate	丁酸異戊酯
ET1152	Methyl 2-methyl butyrate	2-甲基丁酸甲酯
ET1832	2-Pentyl furan	2-戊基呋喃

Apricot 杏仁

ET1832	2-Penty furan	2-戊基呋喃
ET2159	2-Octen-4-one (Dried apricot)	2-辛烯-4-酮 (幹杏仁)

Banana 香蕉

ET0004	soamyl acetate	乙酸異戊酯
ET0201	Isoamyl butyrate	丁酸異戊酯
WT0336	2-Heptanone , (Methyl amyl ketone)	2-庚酮 (甲基戊基甲酮)
ET0216	Eugenol	丁香酚

Blackcurrant 黑醋栗, 黑加侖

ET1663	p-Mentha-8-thiol-3-one, 'Buchu thiol'	硫代薄荷酮, '布枯硫醇'
ET1948	4-Methyl-4-mercapto-2-pentanone 'cat ketone' 'cassis body'	4-甲基-4-巰基-2-戊酮 '貓酮', '黑醋栗芽體香'
ET1878 二醇)	4-Methyl-4-methylthio-2-pentanone 1% in PG	4-甲基-4-甲硫基-2-戊酮 (1%丙
DEV	1-Methoxy-3-methy-3-butanethiol , 'blackcurrant Compound'	1-甲氧基-3-甲基-3-丁硫醇 “黑醋栗化合物”

Berry 醬果

ET2098	2-Ethyl butyrate acid	2-乙基丁酸
ET0735	Ethyl heptanoate	庚酸乙酯
MT0841	Geraniol	香葉醇
ET1663	p-Mentha-8-thiol-3-one	硫代薄荷酮
ET1870	5-Methyl-2-phenyl-2-hexenal	5-甲基-2-苯基-2-己烯醛
ET1990 在於果醬)	4-(p-Acetoxyphenyl)-2-butanone(also in jam)	4-(對乙醯氧苯基)-2-丁酮(也存
ET1412	4-(p-Methoxyphenyl)-2-butanone	4-(對甲氧基苯基)-2-丁酮

MT0031	alpha Ionone	α -紫羅蘭酮
<u>Coconut</u> 椰子		
ET0826	Alcohol C7(Heptanol)	庚醇
ET0092	Aldehyde C18(gamma-Nonalactone)	十八醛(γ -壬內酯)
ET1086	6-Methyl coumarin	6-甲基香荳素
ET0521	gamma Octalactone	γ -辛內酯
ET0525	delta Decalactone	δ -癸內酯
<u>Peach</u> 桃子		
ET1661	2-Isopropyl-4-methyl thiazole	2-異丙基-4-甲基噻唑
ET0072	gamma Undecalactone (Aldehyde C14)	γ -十一內酯(十四醛)
ET0501	gamma Decalactone	γ -癸內酯
ET0503	Geranyl butyrate	丁酸香葉酯
ET1452	DMBC butyrate	丁酸二甲基苳基原酯
<u>Pear</u> 梨		
ET0789	Hexyl acetate	乙酸己酯
ET1290	Ethyl trans-2-cis-4-decadienoate	反-2-順-4-癸二烯酸乙酯
ET0059	Geranyl acetate	乙酸香葉酯
ET1390	Trans-2-Hexenyl acetate	乙酸反-2-己烯醇酯
ET1972	L-Carvyl acetate	乙酸左旋香芹酯
<u>Pineapple</u> 鳳梨		
ET0131	Allyl caproate/hexanoate	己酸烯丙酯
ET0973	Ethyl caproate/hexanoate	己酸乙酯
ET0706	Ethyl octanoate/caprylate	辛酸乙酯
ET0735	Ethyl heptanoate/oecanthate	庚酸乙酯
ET0135	Allyl cyclohexyl propionate	環己基丙酸烯丙酯
ET1266	Allyl phenoxyacetate	苯氧基乙酸烯丙酯
ET1738	4-Hydroxy-2,5-dimethyl-3(2H)furanone 10% in PG	4-羥基-2,5-二甲基-3-(2H)
呋喃酮(10%丙二醇)		
<u>Strawberry</u> 草莓		
ET0126	Aldehyde C16 (Strawberry aldehyde)	十六醛 (楊莓醛)
ET0086	Ethyl butyrate	丁酸乙酯
ET0973	Ethyl hexanoate	己酸乙酯
ET1738	4-Hydroxy-2,5-dimethyl-3(2H)-furanone 10% in PG	4-羥基-2,5-二甲基-3-(2H)
呋喃酮(10%丙二醇)		
ET1844	Cis-3-Hexenal 50% in Traiacetin	順-3-己烯醛(50%三乙酸甘油酯)

ET0501	gamma Decalactone	γ-癸內酯
ET0633	Ethyl 2-methylbutyrate	2-甲基丁酸乙酯
ET1152	Methyl 2-methylbutyrate	2-甲基丁酸甲酯
DEV	2-Methyl trans-2-pentaenoic acid	2-甲基-反-2-庚烯酸
ET1617	Methyl thiobutyrate	硫代丁酸甲酯
ET0436	Methyl cinnamate	桂酸甲酯

Other fruit 其他水果

ET1365	2-Nonanone (Methyl heptyl ketone)	2-壬酮(甲基庚基甲酮)
ET0207	2-Octanone(Methyl hexyl ketone)	2-辛酮(甲基己基甲酮)
ET1366	2-Pentanone(Methyl propyl ketone)	2-戊酮(甲基丙基甲酮)
ET1350	2-Methyl-2-pentalenal	2-甲基-2-戊烯醛
ET2152	4-Methylthio-2-butanone	4-甲硫基-2-丁酮
ET1893	Beta-Cyclocitral	β-環檸檬醛

General fruit-soft/ripe fruit notes 一般果香—軟熟水果香型

E1358	Ethyl isobutyrate	異丁酸乙酯
ET0098	Ethyl isovalerate	異戊酸乙酯
ET0973	Ethyl hexanoate	己酸乙酯
ET0409	Ethyl laurate	月桂酸乙酯, 十二酸乙酯
ET2147	Ethyl nonanoate/Ethyl pelargonate	壬酸乙酯
ET0706	Ethyl octanoate	辛酸乙酯

General fruit-soft/ripe nutes cont'd 一般果香—軟熟堅果香

ET0170	Ethyl propionate	丙酸乙酯
ET0621	Ethyl valerate	戊酸乙酯
ET1773	Furfuryl acetate	乙酸糠酯
ET0790	Cis-3-Hexenol	葉醇, 順-3-己烯醇
ET0873	Trans-2-Hexenal	反-2-己烯醛
ET1390	Trans-2-Hexenyl Acetate	乙酸反-2-己烯醇酯
ET0789	Hexyl Acetate	乙酸己酯
ET0684	Hexyl butyrate	丁酸己酯
ET0007	Hexyl isobutyrate	異丁酸己酯
ET0201	Isoamyl butyrate	丁酸異戊酯
ET0233	Isoamyl formate	甲酸異戊酯
ET1001	Isoamyl hexanoate	己酸異戊酯
ET1088	Isoamyl isovalerate	異戊酸異戊酯
ET0235	Isoamyl propionate	丙酸異戊酯
ET0445	Isoamyl valerate	戊酸異戊酯
ET0575	Isobutyl acetate	乙酸異丁酯

ET0555

Isobutyl butyrate

丁酸異戊酯

ET0675

Isobutyl isobutyrate

異丁酸異丁酯